



Figure 1A



**Figure 1B**




FIG 6.2




FIG. 3A

105090-140

5 / 36

350




FIG 3C

340






FIG 3B



— 116. 4 A



F16.4 B



492490

FIG. 4 C

FIG. 4 D





Figure 5A



**Figure 5B**





Figure 6

**Figure 7**

1249675.1

Figure 8A

## CLOSED LOOP WATER COOLING USING ICE





Figure 8B

## CLOSED LOOP WATER COOLING USING ICE



## NOTES

1. PHASE CHANGE MATERIALS OTHER THAN ICE MAY BE SUBSTITUTED
2. COOLANTS OTHER THAN WATER MAY BE SUBSTITUTED
3. HEAT EXCHANGER IS REMOVABLE AND MAY BE COMBINED WITH ICE ELEMENT

105090-140

15/36





Figure 9

105090-140

16 /36

Figure 10



105090-140

17 /36

-pressure  
in liquid

1146

1144

1148

1138

1140

1150

1142

Figure 11

105090-140

19 /36

(C)




Figure 12

105090-140

19 /36

4.  
for  
D

1250

Figure 13

105090-140

20 /36




Figure 14

105090-140

21/36

(2)

1562

1561

1538

Figure 15A

105090-140

22 /36




Figure 15B

105090-140

1684

23/36




Figure 16

105090-140

24/36

①

Slit  
envelope

Tape Cassette  
unit in base unit




Figure 17

105090-140

Receiving  
module  
in bag  
75/36

cassette




Figure 18A




Figure 18B

105090-140

27/36




Figure 19




Figure 20




Figure 21





Figure 22

**Figure 23**




Figure 24A

Figure 24B




Figure 25A





Figure 25B



**Figure 26**




Figure 27

105090-140

3636




Figure 28